

Document details

< Back to results | 1 of 1

Export

Download

Print

E-mail

Save to PDF

Add to List

More...

Full Text

View at Publisher

Cogent Engineering Open Access
Volume 5, Issue 1, 1 January 2018, Pages 1-14

A psychophysical investigation on vibrotactile sensing for transradial prosthesis users (Article) Open Access

Mohamad Hanif, N.H.H.^a✉, Chappell, P.H.^b✉, White, N.M.^b✉, Cranny, A.W.^c✉

^aKulliyah of Engineering, International Islamic University Malaysia, Kuala Lumpur, Malaysia
^bElectronics and Computer Science, University of Southampton, Southampton, United Kingdom
^cDepartment of Engineering and Physical Sciences, University of Southampton, United Kingdom

Abstract View references (40)

The absence of tactile sensory feedback in transradial prosthetic hands is one of the major contributing factors for these devices to be rejected by users. This paper reports human psychophysical response to vibrotactile sensations in discriminating surface textures, as a possible non-invasive method to supplement sensory feedback for prosthetic hand users. The vibrotactile sensations were supplied by a specially fabricated actuator that vibrates according to signals obtained by a prosthetic finger when sliding across textured surfaces. Participants were provided with four different types of vibration patterns, randomly repeated for five times and were required to state which surface textures that the vibration patterns represent. A Chi-square test statistical procedure was designed to evaluate the relationships between these two categorical variables. The investigation which comprises of 300 samples has shown a statistically significant relationship between the vibration patterns and the surface textures ($p < 0.001$). The participants were able to discriminate surface textures and associate them to the vibration patterns provided by the vibrotactile actuator accordingly. The outcome of this work has provided optimistic possibility for implementation of painless, non-invasive sensory feedback that will undoubtedly boost the users' sense of embodiment and encourage them to fully utilize a well-designed prosthetic device. © 2018, © 2018 The Author(s). This open access article is distributed under a Creative Commons Attribution (CC-BY) 4.0 license.

Author keywords

index terms—embodiment non-invasive prosthetic sensory feedback transradial vibrotactile

Funding details

Funding sponsor	Funding number	Acronym
University of Southampton See opportunities		
International Islamic University Malaysia		IIUM
Ministry of Higher Education, Malaysia	RIGS16-071-0235	MOHE
International Islamic University Malaysia		IIUM
International Islamic University Malaysia	RIGS16-071-0235	IIUM
International Islamic University Malaysia		IIUM

Metrics ?

0

Citations in Scopus

0

Field-Weighted
Citation Impact

PlumX Metrics ?

Usage, Captures, Mentions,
Social Media and Citations
beyond Scopus.

Cited by 0 documents

Inform me when this document is cited in Scopus:

Set citation alert >

Set citation feed >

Related research data ?

A psychophysical investigation on vibrotactile sensing for transradial prosthesis users
Noor Hazrin Hany Mohamad Hanif, et al
Figshare

A psychophysical investigation on vibrotactile sensing for transradial prosthesis users
Noor Hazrin Hany Mohamad Hanif, et al
Figshare

Data linking provided by

Related documents

Tactile to vibrotactile sensory feedback interface for prosthetic hand users
Mohamad Hanif, N.H.H. , Nik Hashim, N.N. , Chappell, P.H.

Funding text #1

Noor Hazrin Hany Mohamad Hanif is an Assistant Professor in the Mechatronics Engineering Department of International Islamic University Malaysia. Her research interests include rehabilitation instrumentation, wearable devices and energy harvesting. P. H. Chappell is an Associate Professor in Electronics and Computer Science at University of Southampton. His research interests are in medical engineering, particularly prosthetics and functional electrical stimulation. N. M. White holds a Personal Chair of Intelligent Sensor Systems in the Electronics and Computer Science, University of Southampton. His research interests include thick-film sensors, intelligent instrumentation, MEMS, self-powered microsensors and sensor networks. A. W. Cranny was a Senior Research Fellow within the Electronics and Computer Science, University of Southampton.

Funding text #2

This work was supported by the Ministry of Higher Education, Malaysia and the IIUM Research Initiative Grant Scheme (RIGS16-071-0235).

Funding text #3

We would like to thank the Mechatronics Department of International Islamic University Malaysia and the Faculty of Physical Sciences and Engineering, University of Southampton, U.K. for supporting this research work.

Funding text #4

This work was supported by the Ministry of Higher Education Malaysia and the International Islamic University Malaysia (IIUM) Research Initiative Grant Scheme [RIGS16-071-0235].

(2016) *IECBES 2016 - IEEE-EMBS Conference on Biomedical Engineering and Sciences*

Development of vibrotactile sensory feedback for prosthetic hand users

Hanif, N.H.H.M. , Chappell, P.H. , White, N.M.
(2014) *Proceedings of the IASTED International Conference on Biomedical Engineering, BioMed 2014*

Sensing texture using an artificial finger and a data analysis based on the standard deviation

Chappell, P.H. , Muridan, N. , Mohamad Hanif, N.H.H.
(2015) *IET Science, Measurement and Technology*

View all related documents based on references

Find more related documents in Scopus based on:

Authors > Keywords >

ISSN: 23311916

Source Type: Journal

Original language: English

DOI: 10.1080/23311916.2018.1539943

Document Type: Article

Publisher: Cogent OA

References (40)

[View in search results format >](#)

☐ All [Export](#)  Print  E-mail [Save to PDF](#) [Create bibliography](#)

- ☐ 1 Antfolk, C., D'Alonzo, M., Controzzi, M., Lundborg, G., Rosen, B., Sebelius, F., Cipriani, C.
Artificial redirection of sensation from prosthetic fingers to the phantom hand map on transradial amputees: Vibrotactile versus mechanotactile sensory feedback

(2013) *IEEE Transactions on Neural Systems and Rehabilitation Engineering*, 21 (1), art. no. 6316177, pp. 112-120. Cited 76 times.
doi: 10.1109/TNSRE.2012.2217989

[View at Publisher](#)

- ☐ 2 Beccai, L., Roccella, S., Ascari, L., Valdastrì, P., Sieber, A., Carrozza, M.C., Dario, P.
Development and experimental analysis of a soft compliant tactile microsensor for anthropomorphic artificial hand

(2008) *IEEE/ASME Transactions on Mechatronics*, 13 (2), pp. 158-168. Cited 75 times.
doi: 10.1109/TMECH.2008.918483

[View at Publisher](#)

- ☐ 3 Berg, J.A., Tenore, F.V., Jessica, L., Vogelstein, R.J., Bensmaia, S.J.
Restoring the sense of touch with a prosthetic hand through a brain interface
(2014) *Proceedings of the National Academy of Sciences*, 111 (2), pp. 18279-18284. Cited 2 times.

- ☐ 4 Biddiss, E., Chau, T.
Upper limb prosthesis use and abandonment: A survey of the last 25 years

(2007) *Prosthetics and Orthotics International*, 31 (3), pp. 236-257. Cited 310 times.
doi: 10.1080/03093640600994581

[View at Publisher](#)

-
- ☐ 5 Brown, L.M., Kaaresoja, T.
Feel who's talking: Using tactons for mobile phone alerts

(2006) *Conference on Human Factors in Computing Systems - Proceedings*, pp. 604-609. Cited 71 times.
ISBN: 1595932984; 978-159593298-3
doi: 10.1145/1125451.1125577

[View at Publisher](#)

-
- ☐ 6 Chappell, P.H., Muridan, N., Mohamad Hanif, N.H.H., Cranny, A., White, N.M.
Sensing texture using an artificial finger and a data analysis based on the standard deviation

(2015) *IET Science, Measurement and Technology*, 9 (8), pp. 998-1006. Cited 4 times.
www.ietdl.org/IET-SMT
doi: 10.1049/iet-smt.2015.0003

[View at Publisher](#)

-
- ☐ 7 Chatterjee, A., Chaubey, P., Martin, J., Thakor, N.
Testing a prosthetic haptic feedback simulator with an interactive force matching task

(2008) *Journal of Prosthetics and Orthotics*, 20 (2), pp. 27-34. Cited 65 times.
doi: 10.1097/01.JPO.0000311041.61628.be

[View at Publisher](#)

-
- ☐ 8 (2015)
Retrieved from
<http://stattrek.com/chi-square-test/independence.aspx?Tutorial=AP>

-
- ☐ 9 Cordella, F., Ciancio, A.L., Sacchetti, R., Davalli, A., Cutti, A.G., Guglielmelli, E., Zollo, L.
Literature review on needs of upper limb prosthesis users

(2016) *Frontiers in Neuroscience*, 10 (MAY), art. no. 209. Cited 50 times.
<http://journal.frontiersin.org/article/10.3389/fnins.2016.00209/full>
doi: 10.3389/fnins.2016.00209

[View at Publisher](#)

-
- ☐ 10 Cotton, D.P.J., Chappell, P.H., Cranny, A., White, N.M., Beeby, S.P.
A novel thick-film piezoelectric slip sensor for a prosthetic hand

(2007) *IEEE Sensors Journal*, 7 (5), pp. 752-761. Cited 69 times.
doi: 10.1109/JSEN.2007.894912

[View at Publisher](#)

- ☐ 11 Cranny, A., Cotton, D.P.J., Chappell, P.H., Beeby, S.P., White, N.M.
Thick-film force, slip and temperature sensors for a prosthetic hand
(2005) *Measurement Science and Technology*, 16 (4), pp. 931-941. Cited 48 times.
<http://www.iop.org/EJ/journal/0957-0233>
doi: 10.1088/0957-0233/16/4/005
[View at Publisher](#)
-
- ☐ 12 De Vignemont, F.
Embodiment, ownership and disownership
(2011) *Consciousness and Cognition*, 20 (1), pp. 82-93. Cited 121 times.
<http://www.elsevier.com/inca/publications/store/6/2/2/8/1/0/index.htm>
doi: 10.1016/j.concog.2010.09.004
[View at Publisher](#)
-
- ☐ 13 Demain, S., Metcalf, C.D., Merrett, G.V., Zheng, D., Cunningham, S.
A narrative review on haptic devices: Relating the physiology and psychophysical properties of the hand to devices for rehabilitation in central nervous system disorders
(2013) *Disability and Rehabilitation: Assistive Technology*, 8 (3), pp. 181-189. Cited 22 times.
doi: 10.3109/17483107.2012.697532
[View at Publisher](#)
-
- ☐ 14 Gescheider, G.
Psychophysical measurement of thresholds: Differential sensitivity
(1997) *Psychophysics: The Fundamental*, pp. 1-15. Cited 6 times.
3rd, New York, NY: Psychology Press... s (, ed
-
- ☐ 15 Gonzalez, J., Soma, H., Sekine, M., Yu, W.
Psycho-physiological assessment of a prosthetic hand sensory feedback system based on an auditory display: A preliminary study ([Open Access](#))
(2012) *Journal of NeuroEngineering and Rehabilitation*, 9 (1), art. no. 33. Cited 34 times.
doi: 10.1186/1743-0003-9-33
[View at Publisher](#)
-
- ☐ 16 Gouzien, A., De Vignemont, F., Touillet, A., Martinet, N., De Graaf, J., Jarrassé, N., Roby-Brami, A.
Reachability and the sense of embodiment in amputees using prostheses ([Open Access](#))
(2017) *Scientific Reports*, 7 (1), art. no. 4999.
www.nature.com/srep/index.html
doi: 10.1038/s41598-017-05094-6
[View at Publisher](#)
-
- ☐ 17 Jamali, N., Sammut, C.
Material classification by tactile sensing using surface textures
(2010) *Proceedings - IEEE International Conference on Robotics and Automation*, art. no. 5509675, pp. 2336-2341. Cited 43 times.
ISBN: 978-142445038-1
doi: 10.1109/ROBOT.2010.5509675
[View at Publisher](#)
-

-
- ☐ 18 Kandel, E., Schwartz, J., Jessell, T.
(2000) *Principles of neural science*. Cited 6510 times.
4th, New York, NY : McGraw Hill, &, ed
-
- ☐ 19 Kim, K., Colgate, J.E., Santos-Munné, J.J., Makhlin, A., Peshkin, M.A.
On the design of miniature haptic devices for upper extremity prosthetics
(2010) *IEEE/ASME Transactions on Mechatronics*, 15 (1), art. no. 4815425, pp. 27-39. Cited 53 times.
doi: 10.1109/TMECH.2009.2013944

[View at Publisher](#)
-
- ☐ 20 Lawrence, M.A., Kitada, R., Klatzky, R.L., Lederman, S.J.
Haptic roughness perception of linear gratings via bare finger or rigid probe
(2007) *Perception*, 36 (4), pp. 547-557. Cited 41 times.
doi: 10.1068/p5746

[View at Publisher](#)
-
- ☐ 21 Lederman, S.J., Klatzky, R.L., Hamilton, C.L., Ramsay, G.I.
Perceiving roughness via a rigid probe: Psychophysical effects of exploration speed and mode of touch
(1999) *Haptics-E the Electronic Journal of Haptic Research*, 1 (1), pp. 1-21. Cited 77 times.
-
- ☐ 22 Li, K., Fang, Y., Zhou, Y., Liu, H.
Non-Invasive Stimulation-Based Tactile Sensation for Upper-Extremity Prosthesis: A Review ([Open Access](#))
(2017) *IEEE Sensors Journal*, 17 (9), art. no. 7865898, pp. 2625-2635. Cited 8 times.
<http://ieeexplore.ieee.org/xpl/RecentIssue.jsp?punumber=7361>
doi: 10.1109/JSEN.2017.2674965

[View at Publisher](#)
-
- ☐ 23 Miyaoka, T., Mano, T., Ohka, M.
Mechanisms of fine-surface-texture discrimination in human tactile sensation
(1999) *Journal of the Acoustical Society of America*, 105 (4), pp. 2485-2492. Cited 60 times.
doi: 10.1121/1.426852

[View at Publisher](#)
-
- ☐ 24 Mohamad Hanif, N.H.H.
(2015) *Sensory feedback for artificial hands*
University of Southampton,, Southampton, England
-
- ☐ 25 Hanif, N.H.H.M., Chappell, P.H., Cranny, A., White, N.M.
Vibratory feedback for artificial hands
(2013) *2013 International Conference on Electronics, Computer and Computation, ICECCO 2013*, art. no. 6718275, pp. 247-250. Cited 6 times.
ISBN: 978-147993343-3
doi: 10.1109/ICECCO.2013.6718275

[View at Publisher](#)
-

- ☐ 26 Hanif, N.H.H.M., Chappell, P.H., White, N.M., Cranny, A.W.
Development of vibrotactile sensory feedback for prosthetic hand users

(2014) *Proceedings of the IASTED International Conference on Biomedical Engineering, BioMed 2014*, pp. 294-301. Cited 3 times.
doi: 10.2316/P.2014.818-076

[View at Publisher](#)
-
- ☐ 27 Mohamad Hanif, N.H.H., Chappell, P.H., Cranny, A., White, N.M.
Surface texture detection with artificial fingers

(2015) *Proceedings of the Annual International Conference of the IEEE Engineering in Medicine and Biology Society, EMBS*, 2015-November, art. no. 7320253, pp. 8018-8021. Cited 5 times.
ISBN: 978-142449271-8
doi: 10.1109/EMBC.2015.7320253

[View at Publisher](#)
-
- ☐ 28 Mohamad Hanif, N.H.H., Nik Hashim, N.N., Chappell, P.H., White, N.M., Cranny, A.W.
Tactile to vibrotactile sensory feedback interface for prosthetic hand users

(2016) *IECBES 2016 - IEEE-EMBS Conference on Biomedical Engineering and Sciences*, art. no. 7843467, pp. 326-330. Cited 2 times.
ISBN: 978-146737791-1
doi: 10.1109/IECBES.2016.7843467

[View at Publisher](#)
-
- ☐ 29 Muridan, N., Chappell, P.H., Cranny, A., White, N.M.
Texture sensor for a prosthetic hand ([Open Access](#))

(2010) *Procedia Engineering*, 5, pp. 605-608. Cited 5 times.
<http://www.sciencedirect.com/science/journal/18777058>
doi: 10.1016/j.proeng.2010.09.182

[View at Publisher](#)
-
- ☐ 30 Oddo, C.M., Raspopovic, S., Artoni, F., Mazzoni, A., Spigler, G., Petrini, F., Giambattistelli, F., (...), Micera, S.
Intraneural stimulation elicits discrimination of textural features by artificial fingertip in intact and amputee humans ([Open Access](#))

(2016) *eLife*, 5 (MARCH2016), art. no. e09148. Cited 67 times.
<https://elife-publishing-cdn.s3.amazonaws.com/09148/elife-09148-v1-download.pdf>
doi: 10.7554/eLife.09148

[View at Publisher](#)
-
- ☐ 31 Peerdeman, B.
Myoelectric forearm prostheses: State of the art from a user-centered perspective ([Open Access](#))

(2011) *Journal of Rehabilitation Research and Development*, 48 (6), p. XLIV. Cited 183 times.
<http://www.rehab.research.va.gov/jour/11/486/pdf/atag lance486.pdf>
doi: 10.1682/JRRD.2010.08.0161

[View at Publisher](#)
-
- ☐ 32 Pritchard, T., Alloway, K.
(1999) *Medical neuroscience*. Cited 26 times.
1st, Madison, Conn: Wiley, & (Eds.). (, ed

- ☐ 33 Raspopovic, S., Capogrosso, M., Petrini, F.M., Bonizzato, M., Rigosa, J., Pino, G.D., Carpaneto, J., (...), Micera, S.

Bioengineering: Restoring natural sensory feedback in real-time bidirectional hand prostheses

(2014) *Science Translational Medicine*, 6 (222), p. 222ra19. Cited 268 times.

<http://stm.sciencemag.org/content/6/222/222ra19.full.pdf>

doi: 10.1126/scitranslmed.3006820

[View at Publisher](#)

- ☐ 34 Sharpe, D.
Your chi-square test is significant: Now what?
(2015) *Practical Assessment, Research & Evaluation*, 20, p. 8.

- ☐ 35 Stephens-Fripp, B., Alici, G., Mutlu, R.
A review of non-invasive sensory feedback methods for transradial prosthetic hands
([Open Access](#))

(2018) *IEEE Access*, 6, pp. 6878-6899. Cited 4 times.

<http://ieeexplore.ieee.org/xpl/RecentIssue.jsp?punumber=6287639>

doi: 10.1109/ACCESS.2018.2791583

[View at Publisher](#)

- ☐ 36 Svensson, P., Wijk, U., Björkman, A., Antfolk, C.
A review of invasive and non-invasive sensory feedback in upper limb prostheses

(2017) *Expert Review of Medical Devices*, 14 (6), pp. 439-447. Cited 7 times.

doi: 10.1080/17434440.2017.1332989

[View at Publisher](#)

- ☐ 37 Van Duinen, H., Gandevia, S.C.
Constraints for control of the human hand ([Open Access](#))

(2011) *Journal of Physiology*, 589 (23), pp. 5583-5593. Cited 50 times.

doi: 10.1113/jphysiol.2011.217810

[View at Publisher](#)

- ☐ 38 Visell, Y.
Tactile sensory substitution: Models for enaction in HCI

(2009) *Interacting with Computers*, 21 (1-2), pp. 38-53. Cited 59 times.

doi: 10.1016/j.intcom.2008.08.004


[View at Publisher](#)

- ☐ 39 Warmbrod, J.R.
(2001) *Calculating, interpreting, and reporting estimates of "effect size" (Magnitude of an effect or the strength of a relationship)*
Texas: Texas Tech. University

Prosthetics: Health quality of life effects of limb loss

(2011) *Proceedings - 2011 4th International Conference on Biomedical Engineering and Informatics, BMEI 2011*, 3, art. no. 6098617, pp. 1333-1337. Cited 7 times.
ISBN: 978-142449352-4
doi: 10.1109/BMEI.2011.6098617

[View at Publisher](#)

 Mohamad Hanif, N.H.H.; Mechatronics Department, International Islamic University Malaysia, Malaysia;
email: noorhazrin@iiium.edu.my

© Copyright 2018 Elsevier B.V., All rights reserved.

[Back to results](#) | 1 of 1

[Top of page](#)

About Scopus

[What is Scopus](#)
[Content coverage](#)
[Scopus blog](#)
[Scopus API](#)
[Privacy matters](#)

Language

[日本語に切り替える](#)
[切换到简体中文](#)
[切换到繁體中文](#)
[Русский язык](#)

Customer Service

[Help](#)
[Contact us](#)

ELSEVIER

[Terms and conditions](#) [Privacy policy](#)

Copyright © 2018 Elsevier B.V. All rights reserved. Scopus® is a registered trademark of Elsevier B.V.

We use cookies to help provide and enhance our service and tailor content. By continuing, you agree to the use of cookies.

 RELX Group™